

[REDACTED]

From: system@acelo.com on behalf of Ronnie Stokes <[REDACTED]>
Sent: Monday, 5 November 2018 2:48 PM
To: [REDACTED]
Subject: Submission Details for Ronnie Stokes (comments)
Attachments: 293057_Submission Details from Ronnie Stokes 20181102.pdf

Confidentiality Requested: no

Submitted by a Planner: no

Disclosable Political Donation:

Agreed to false or misleading information statements:

Name: Ronnie Stokes
Email: Email not provided

Address:

[REDACTED]
[REDACTED]

Content:
Please see attached.

IP Address: - 141.243.33.161
Submission: Online Submission from Ronnie Stokes (comments)
https://majorprojects.acelo.com/?action=view_activity&id=293057

Submission for Job: #9552
https://majorprojects.acelo.com/?action=view_job&id=9552

Site: #0
https://majorprojects.acelo.com/?action=view_site&id=0

[REDACTED]

2nd November 2018

Dear Sir/Madam,

Re: Land Use Infrastructure Implementation Plan (WSA LUIIP).

I am the owner of [REDACTED] - which is outside the Agribusiness Area in the LUIIP.

I would like our land to be included the current LUIIP and the Agriculture and Agribusiness Precinct.

I am a member of the **Western Sydney Airport Agribusiness Landowner Group (WSAALG)** which is making our group submission through Think Planners. I endorse this submission and I also make my own back up submission on the WSA LUIIP.

The AG Precinct needs to be a good size to create a proper working Precinct. It should be extended to the west from the airport to service for the airport and include my land.

I also think the AG Precinct should be prioritised in Stage 1. Our group of co-ordinated landowners covers around 1000h. Stage 1 planning would be important for investors and allow the AG Precinct to be ready for the new airport.

Further, I object 'potential conservation' for the area adjacent to the cargo loading, logistics and commercial entry to the Airport is illogical, impractical and environmentally flawed. A conservation zone would severely harm the Airports ability to capitalise on the AG Precinct

I note there is modern cabling right along [REDACTED] which was installed a few years ago.

Thank you for accepting my submission.

Yours sincerely

[REDACTED]